


HUB



Bearing No.	Boundary dimensions [mm]			Basic load ratings(kN)		Limiting speed(rpm)		Mass
	d	D	B	Dynamic(Cr)	Static(Cor)	Grease	Oil	Kg
QJ306	30	72	19	44.5	31.2	6700	9000	0.42
QJ307		80	21	53.2	37.2	6000	8000	0.57
QJ208		85	18	40.5	37.0	6700	9000	0.391
QJ210		110	20	55.5	44.8	5000	6700	0.52
QJ310		100	27	85.0	8.0	5000	6700	1.33
QJ211		120	21	71.0	62.0	5300	7000	0.769
QJ311		110	29	115.0	86.5	4000	5300	1.48
QJ212		130	22	8.1	71.0	4800	6300	0.99
QJ214		125	24	105.0	102.0	3400	4500	2.32
QJ314	70	150	35	98.0	91.5	4300	5600	2.32
QJ215	75	130	25	108.0	98.0	4000	5300	1.45
QJ317	85	180	41	188	210	2600	3600	5.5
QJ1018	90	140	24	130	102	3200	4300	-
QJ218		160	30	150	165	3200	4300	2.91
QJ318		190	43	228	238	2400	3400	6.41
QJ220	100	180	34	192	212	2800	3800	4.05
QJ1022	110	170	28	195	150	3000	4000	-

Four Point Contact Ball Bearing

QJ222		200	38	245	255	2400	3400	5.76
QJ322		240	50	345	328	2000	3000	12.4
QJ1024	120	180	28	208	152	2200	3200	-
QJ224		215	40	275	280	2200	3200	6.49
QJ324		260	55	392	352	1600	2200	15.3
QJ1026	130	200	33	230	202	2000	2700	-
QJ226		230	40	290	288	1900	2800	7.28
QJ1028	140	210	33	242	205	1900	2600	-
QJ228		250	42	352	292	1500	2000	10.5
QJ328		300	62	512	422	1300	1800	22.4
QJ1030	150	225	35	275	225	1800	2400	4.59
QJ230		270	45	372	302	1400	1900	12.4
QJ1032	160	240	38	318	260	1600	2200	-